TOWN OF GRANITE FALLS

ORDINANCE NO. 420

AN ORDINANCE OF THE THE TOWN OF GRANITE FALLS RELATING TO BUILDINGS AND CONSTRUCTION, ADOPTION AND AMENDMENT OF THE UNIFORM BUILDING AND FIRE CODES AND AMENDING TITLE 15 OF THE GRANITE FALLS MUNICIPAL CODE AND REPEALING ORDINANCE NO. 410.

BE IT ORDAINED BY THE TOWN COUNCIL OF THE TOWN OF GRANITE FALLS as follows:

SECTION 1. COPIES OF CODES ON FILE. The Town of Granite Falls shall at all times keep on file in the office of the Clerk/Treasurer for the Town of Granite Falls, for reference by the general public one (1) copy of each of the codes and resolutions, or parts thereof, as herein adopted by reference, together with the amendments and supplements thereto herein made part of this chapter and Title 15:

- (1) Uniform Building Code and Uniform Building Code Standards, published by the International Conference of Building Officials, 1988 Edition;
- (2) Uniform Mechanical Code and Uniform Mechanical Code Standards, published by the International Conference of Building Officials, 1988 Edition;
- (3) Uniform Fire Code and Uniform Fire Code Standards, published by the International Conference of Building Officials and the Western Fire Chiefs Association, 1988 Edition;
- (4) Uniform Plumbing Code and Uniform Plumbing Code Standards, published by the International Association of Plumbing and Mechanical Officials, 1988 Edition;
- (5) Uniform Code for the Abatement of Dangerous Buildings, published by the International Conference of Building Officials, 1988 Edition; and
- (6) Washington State Building Code, Chapter 51-16 WAC, Second Edition.

. SECTION 2. BUILDING OFFICIAL - CREATION OF OFFICE - DUTIES.

- A. There is hereby created the office of Building Official. Said Building Official shall be appointed by the Mayor and confirmed by the Town Council.
- B. Said Building Official shall fulfill the following duties:
 - (1) Serve as plans examiner for occupancies A, B, E, H, I, and R;
 - (2) Perform building inspections;
 - (3) Act as Secretary for Board of Appeals;

- (4) Carry out such other duties as the Mayor and/or Town Council may designate.
- C. Compensation for the Building Official shall be set by resolution of the Town Council.
- SECTION 3. PENALTY FOR VIOLATION. In addition to the administrative remedies provided for in this title, any person found by a Court of competent jurisdiction to be in violation or to have violated any mandatory provisions of this title shall be guilty of a misdemenaor and shall be subject to a fine not exceeding \$250.00. Each day that a violation is found to exist shall be deemed a separate offense.
- SECTION 4. BUILDING CODE ADOPTED. The following sections of Chapter 15.08 the Granite Falls Municipal Code are hereby amended to read as follows:
- 15.08.010 Building Code Adopted. The Uniform Building Code and Uniform Building Code Standards, published by the International Conference of Building Officials, 1988 Edition, together with amendments and/or additions thereto, is adopted in its entirety, including appendix chapters, Nos. 7, 11, 32, 49, 55, 57, and 70, by this reference as part of the Building Code for the Town.
- 15.08.020 Uniform Building Code, Section 301 (b). Section 301 (b) of the Uniform Building Code is amended by adding the following:
 - (1) Building, structures, or other work, the value of which, in the opinion of the Building Official, does not exceed one thousand dollars.
 - (2) Agricultural structures (M-3 occupancy) not exceeding twelve feet in width and fifteen feet in height from grade.
 - (3) Frame covered membrane or tent structures as defined in Section 5501 (c) used exclusively as greenhouses for the protection or propagation of plants and which are placed no closer than twenty feet from any property line or another structure. Such structures need not meet the twenty-five pounds per square foot snow load requirements.
 - (4) Subject to plot plan approval, M-1 occupancy limited to two hundred square feet of roof area which has <u>two</u> open sides. Example: Woodshed.
- 15.08.030 Uniform Building Code, Section 302 (a). Section 302 (a) of the Uniform Building Code is amended by the addition thereto of a new paragraph to read as follows:
 - "All applications and plans for building permits for occupancies A, B, E, I, H, and Rl shall first be submitted to the Planning Commission for preliminary approval or rejection of the proposed project. If the proposed project is preliminarily approved by the Planning Commission the Town Clerk/Treasurer shall collect from the applicant a plan check fee, and upon receipt of the plan check fee, shall authorize the Building Official to review the plans and application. The Building Official shall, after reviewing the plans and application resubmit the plans and application along with any corrections or recommendations to the Planning Commission for recommendation to the Town Council. If the proposed

project is finally approved by the Town Council, the Town Clerk/ Treasurer shall collect from the applicant a building permit fee and issue the building permit. Conditions as adopted by the Town Council shall become a part of the permit.

All applications and plans for building permits for occupancies other than A, B, E, I, H, and Rl shall be submitted to the Building Official for his approval, rejection or correction. After the plans and application are approved by the Building Official, the Town Clerk shall collect from the applicant a building fee and issue a building permit."

15.08.040 Uniform Building Code, Section 504 (2) AMENDED. Section 504(a) of the Uniform Building Code is hereby amended by the addition of the following:

In addition to the requirement set forth in this Uniform Building Code, section, all new buildings or structures and additions to existing buildings or structures shall comply with the setbacks as set out in the Granite Falls Zoning Ordinance.

15.08.050 Uniform Building Code, Section 3705 AMENDED - Factory-built chimneys. Section 3705 is deleted and is replaced by a new Section 3705 as follows:

- (a) Factory built chimneys shall be installed in strict accordance with the terms of their listings and the manufacturer's instructions as specified in the Mechanical Code.
- (b) The following applies to factory-built chimneys serving solid fuel appliances:
- Every factory-built chimney which is concealed within the framework of the building shall be enclosed in a modified shaft as specified in this section.
- 2. The interior surface of the modified shaft shall be of materials as approved for not less than two-hour fire-resistive construction in buildings more than four (4) stories in height or of Type I and II fire-resistive construction and shall be of materials as approved for not less than one-hour fire-resistive construction elsewhere.

EXCEPTION: When not otherwise required by this code, the required fire-resistive materials or chimney enclosures which are located outside of the exterior walls of the building maybe limited to those walls which form the separation between the shaft and the building.

3. Penetrations of any fire-resistive modified shaft wall for other than a factory-built chimney, a listed factory-built fireplace or its listed components shall be protected in accordance with Section 4304(e).

4. Structural elements which support a factory-built fireplace or chimney and which extend into the shaft shall have a fire-resistive protection equivalent to that required for the shaft walls. All shaft walls shall extend at least to the underside of the roof sheathing. Firestops shall not be installed in chimney shafts constructed in accordance to this section.

15.08.060 Chapter 60 - AMENDED. Chapter 60 is hereby amended by adding thereto the following standards and publications which are adopted by reference as though fully set forth herein:

- Mashington State Energy Code and 1988 Amendments Minimum requirements of the Washington State Energy Code for the design of new buildings and structures that provide facilities or shelter for public assembly, educational, business, mercantile, institutional, storage and residential occupancies, as well as those portions of factory and industrial occupancies designed primarily for human occupancy by regulating their exterior envelopes and the selection of their HVAC, service water heating, electrical distribution and illuminating systems and equipment for effective use of energy, as adopted by the State of Washington Building Code Advisory Council on May 12, 1980, and the 1988 Amendments.
- 2. Barrier Free Facilities WAC 51-10, June 1989. Regulations for barrier free facilities as adopted by the Washington State Building Code Advisory Council, by Chapter 110, Laws of 1985 and 1989.
- SECTION 5. MECHANICAL CODE ADOPTED. The following sections, Chapter 15.20 shall be added to the Granite Falls Municipal Code to read as follows:
- 15.20.010 Mechanical Code Adopted. The Uniform Mechanical Code, issued by the International Conference of Building Officials, 1988 Edition, together with amendments and/or additions thereto hereafter made, is adopted in its entirety by this reference as part of the Mechanical Code for the Tow, including Appendix Chapter 22 relating to gas fuel piping.
- <u>SECTION 6.</u> <u>FIRE CODE ADOPTED.</u> The following sections of Chapter 15.04 of the Granite Falls Municipal Code shall read as follows:
- 15.04.010 Fire Code Adopted. The Uniform Fire Code, issued by the International Conference Building Officials and the Western Fire Chiefs Association, 1988 Edition, together with amendments and/or additions thereto, is adopted in its entirety including Appendix IIB (Protection of Flammable or Combustible Liquids in Tanks in Locations that may be flooded) II C (Marinas) and II D (Rifle Ranges) by this reference as part of the Fire Code for the Town, provided, however, Article 78 Fire Works is not adopted.
- 15.04.020 Uniform Fire Code, Section 11.101 (b) AMENDED. Section 11.101(b) of the Uniform Fire Code is amended to read as follows:

Section 11.101 (b) LOCATION RESTRICTED. No person shall kindle or maintain any bonfire or rubbish fire or authorize any such fire to be kindled or maintained on any private land unless (1) The location is not less than 50 feet from any structure and adequate provision is made to prevent fire from spreading to within 50 feet of any structure, or (2) The fire is contained in an approved waste burner located safely not less than 15 feet from any structures.

EXCEPTION: When conditions make it difficult to provide the required distance, the requirements of this section may be modified when, in the opinion of the Fire Chief, undue hazard from fire to structures would not occur.

15.04.030 Uniform Fire Code, Section 25.101 DELETED. Section 25.101 of the Uniform Fire Code relating to permit requirements for places of assembly is deleted as a Certificate of Occupancy is required by the Building Code.

 $\frac{15.04.040}{\text{(b)}}$ Uniform Fire Code, Section 77.106 (b) AMENDED. Section 77.106 (b) of the Uniform Fire Code is amended to read as follows:

The storage of explosives and blasting agents within the Town is prohibited.

EXCEPTION: The Fire Chief may issue a special permit for such storage where it appears in his judgment there will be no undue danger to persons or property.

15.04.050 Uniform Fire Code, Section 79.501 AMENDED. Section 79.501 of the Uniform Fire Code is amended to read as follows:

Section 79.501. The storage of Classes I and II flammable liquids in aboveground tanks outside of buildings is prohibited.

EXCEPTION: The Fire Chief may issue a special permit for such storage where it appears in his judgment there will be no undue danger to persons orproperty.

 $\frac{15.04.060}{82.105}$ Uniform Fire Code, Section 82.105 (a) AMENDED. Section 82.105 (a) of the Uniform Fire Code is amended to read as follows:

Section 82.105 (a). The aggregate capacity of any one installation which contains more than 2,000 water gallons ofliquified petroleum gas is prohibited within the Town.

EXCEPTION: The Fire Chief may issue a special permit for such storage where it appears in his judgment there will be no undue danger to persons or property.

15.12.010 Plumbing Code Adopted. The Uniform Plumbing Code, issued by the International Association of Plumbing and Mechanical Officials, 1988 Edition, together with amendments and/or additions thereto, is adopted, as listed herein by this reference as the Plumbing Code, nothing in this Code shall apply to the installation of any gas piping or vents for water heaters.

SECTION 8. UNIFORM CODE FOR THE ABATEMENT OF DANGEROUS BUILDINGS. The following sections of Chapter 15.28 of the Granite Falls Municipal Code shall read:

15.28.010 Adoption. The Uniform Code for the Abatement of Dangerous Buildings issued by the International Conference of Building Officials, 1988 Edition, together with amendments and/or additions thereto, is adopted in its entirety by this reference as the Dangerous Building Code for the Town.

15.28.020 Subsection 401 (b)(6) ADDED. Section 401 of the Uniform Code for the Abatement of Dangerous Buildings is amended and supplemented by the addition thereto of a new subsection to be known as Subsection 401 (b)(6) to read as follows:

The Building Official, together with the department head or delegate of the following Town Departments: Fire Department, Police Department, Utility Department, shall upon written request filed with the Building Official by any interested person (including the Building Official) conduct an informal conference relative to the matters set forth in the Notice and Order. All interested persons shall be given notice of such conference and may attend and participate. Following such informal conference, the Building Official shall, within ten days thereof, file an amended or supplemental order and the time within which to appeal may be requested shall be extended to thirty days from the date of such informal conference or fifteen days from service of the amended or supplemented order, whichever shall last occur.

15.28.030 Service of Notice and Order. Section 401(c) of the Uniform Code for the Abatement of Dangerous Buildings is amended to read as follows:

The Notice and Order and any amended or supplemental notice and/or order shall be served upon the record owner and posted on the property. The record owner for the purposes of the procedures of this chapter shall be the person listed in the records of the Snohomish County Treasurer for the purposes of mailing real property tax statements. The Building Official shall also serve one copy of each of the following, if known to the Building Official or dislosed from the records of the Snohomish County Treasurer, including the records maintained in relation to the 1% estate excise sales tax, the holder of any mortgage, deed of trust, leasehold, contract purchases, or contract seller.

The failure of the Building Official to serve any person required herein to be served shall not invalidate any proceedings from any duty or obligation imposed on him by the provisions of this Section.

15.28.040 Report on Costs and Expenses. Section 901 of the Uniform Code for the Abatement of Dangerous Buildings is amended to read as follows:

Section 901. The Building Official shall keep an itemized account of the expenses incurred by the Town in the repair or demolition of any building done pursuant to the provisions of Section 701(c) of this Code. Upon the completion of the work of repair or demolition, the Building Official shall prepare and file with the Clerk/Treasurer a report specifying the work done, the itemized and total cost of the work, including an administration and collection fee in the amount of two hundred (\$200) dollars to cover the costof publication, recording, and service of all notices and the cost incurred by the Town in the

collection of the assessment or obligation as determined by Section 905 of tis Code, a discription of the real property upon which the building or structure is or was located, and the names and addresses of the persons entitled to notice pursuant to Section 401(c).

15.28.050 Collection of Assessment. Section 909 of the Uniform Code for the Abatement of Dangerous Buildings is amended to read as follows:

A copy of the ordinance confirming the special assessment shall be filed with the Town Clerk/Treasurer. A certified copy of said ordinance shall be recorded with the Snohomish County Auditor. The Clerk/Treasurer upon receipt of said ordinance, shall proceed to collect the special assessment in the same manner as local improvement district assessments, including installments thereof, are collected; provided, however, that the thirty days prepayments notice need not bepublished but shall be mailed to the owner of record.

Section 910 and 911 of the Uniform Code for the Abatement of Dangerous Buildings hereinabove adopted by reference; being inconsistent with the procedure of assessments herein established, are repealed.

SECTION 9. WASHINGTON STATE BUILDING CODE, CHAPTER 51-16 WAC, SECOND EDITION, ADOPTED.

 $\frac{15.30.010}{\text{Edition, Adopted.}} \begin{tabular}{ll} Washington State Building Code, Chapter 51-16 WAC, Second Edition, published by the Washington State Building Code Council, is hereby adopted. \\ \hline \end{tabular}$

SECTION 10. Ordinance Numbers 240, 285, and 410, of the Town of Granite Falls and Chapter 15.04, 15.08, and 15.12 of the Granite Falls Municipal Code are hereby repealed, and all other ordinances or parts of ordinances inconsistent with the provisions of this ordinance are hereby repealed to the extent of such inconsistency.

SECTION 11. Should any section, paragraph, sentence or word of this Ordinance or the codes herein adopted or amended be declared for any reason to be invalid, it is the intent of the Town Council that it would have passed all other portions of this ordinance independent of the elimination herefrom on any section, subsection, paragraph, sentence, or work as may be declared invalid.

<u>SECTION 12.</u> This Ordinance shall be in full force and effect following approval by the Town Council.

APPROVED BY THE TOWN COUNCIL this 28th day of June, 1989.

Signed by the Mayor this <u>Acth</u> day of <u>JUNP</u>, 1989.

(A)

MAYOR

Attest: GPVUL Games
Clerk

APPROVED: PASSED:

June 28, 1989 June 28, 1989

PUBLISHED:

EFFECTIVE:

June 28, 1989